

## 3.7 Third law

We now will state fundamental laws regarding the entropy when the temperature gets close to its absolute zero, i.e.  $T \rightarrow 0$  K (later on we discuss the consequences). First we have the Nernst theorem:

$$\lim_{T \rightarrow 0} \Delta S_{trans} = 0 \quad (3.14)$$

Some observations regarding the Nernst theorem:

- For  $T \rightarrow 0$  K:  $\Delta G \approx \Delta H$
- The DIFFERENCES of the heat capacities of educts and products of any reaction / transition goes to zero for  $T \rightarrow 0$  K (e.g. rhombic and monoclinic sulfur)
- Diagrams  $\Delta G/T$  and  $\Delta H/T$ : slope of both state functions goes zero for  $T \rightarrow 0$  K

$$\begin{aligned} \Delta G_{T \rightarrow 0} = \Delta H_{T \rightarrow 0} &\Rightarrow \left( \frac{\partial \Delta G}{\partial T} \right)_{p, T \rightarrow 0} = \left( \frac{\partial \Delta H}{\partial T} \right)_{p, T \rightarrow 0} \\ &\Rightarrow \Delta S_{T \rightarrow 0} = \Delta C_{p, T \rightarrow 0} \end{aligned} \quad (3.15)$$

Here we have used for the first time  $(\partial G / \partial T)_p = -S$  (Guggenheim).

According to the Nernst theorem  $S(T = 0)$  need not be zero!

BUT: According to the Planck theorem (= Third law),

$$\lim_{T \rightarrow 0} S = 0 \quad (3.16)$$

- "The entropy of any homogenous substance, which is in complete internal equilibrium, may be taken as zero at 0 K", e.g. if the heat capacity change goes to zero, the structure essentially remains the same; thus, entropy change = 0.
- This implies absolute values of the "third-law entropies".
- BUT: Residual entropies ( $S > 0$ ) based on configurational contribution (disorder) may exist. A) molecules (CO), B) presence of isotopes, C) spin configurations:  $S = k \ln(2^n)$ .

The most important consequence of the third law is that  $T = 0$  K can never be reached; according to Planck: "If the heat capacity goes to zero, each minimum action serves for an enhancement of  $T$  inside the sample; thus, it appears practically impossible to approach 0 K".

$S = 0$  is never fulfilled in real systems due to the intrinsic disorder of the crystals. As we will see later from the statistical approach of Boltzmann  $S = 0$  means that only one configuration is possible, however real crystals contain defects. They cannot be removed at  $T = 0$  because of missing thermal activation.